Hydrobiologia

The International Journal of Aquatic Sciences

Volume 510, 1 December 2003

Copepods of the genera *Haplostomella* and *Haplostomides* (Cyclopoida: Ascidicolidae) associated with ascidians from the White Sea and Russian Far East coastal waters
A. Marchenkov, G. Boxshall 1–15

The life cycle of *Cyclops vicinus* in Lake Søbygård: new aspects derived from sediment analyses
A.-M. Hansen, B. Santer 17–21

Rotenone calibration of fish density and biomass in a tropical stream sampled by two removal methods
T. Penczak, A.A. Agostinho, J.D. Latini 23–38

Rapid assessment of rivers using macroinvertebrates: the role of experience, and comparisons with quantitative methods
L. Metzeling, B. Chessman, R. Hardwick, V. Wong 39–52

The influence of habitat structure and flow permanence on invertebrate communities in karst spring systems
H. Smith, P.J. Wood, J. Gunn 53–66

Effects of water level, abiotic and biotic factors on bacterioplankton abundance in lagoons of a tropical floodplain (Paraná River, Brazil)
P. Carvalho, S.M. Thomaz, L.M. Bini 67–74

Maternal aging in the univoltine freshwater copepod *Cyclops kolensis*: variation in egg sizes, egg development times, and naupliar development times
C.D. Jamieson, B. Santer 75–81

The introduced fish, rotan (*Perccottus glenii*), depresses populations of aquatic animals (macroinvertebrates, amphibians, and a fish)
A.N. Reshetnikov 83–90

On the variability of the chaetognath *Sagitta friderici* Ritter-Zàhony at Cananéia Lagoon Estuarine system, São Paulo, Brazil
T.-H. Liang, K. Ara, L.B. Miranda, A.L. Bérgamo, M. Bernardes 91–102

Lake-specific responses to elevated atmospheric nitrogen deposition in the Colorado Rocky Mountains, U.S.A.
K.R. Nydick, B.M. Lafrancois, J.S. Baron, B.M. Johnson 103–114

Hyperiid amphipods (Crustacea: Peracarida) in relation to a cold-core ring in the Gulf of Mexico
R. Gasca 115–124

Reproductive biology of the invasive Asian freshwater leech *Barbronia weberi* (Blanchard, 1897)
F.R. Govedich, B.A. Bain, M. Burd, R.W. Davies 125–129

Life history aspects of the mayfly *Siphlonurus typicus* (Ephemeroptera: Siphlonuridae) with a new application for measuring nymphal development and growth
E. Kosnicki, S. Burian 131–146

Factors affecting female parental investment in the monogamous goby, *Valenciennea longipinnis*
T. Takegaki 147–152

The brackishwater hyporheic zone: invertebrate community structure across a novel ecotone
D.D. Williams 153–173

Effect of fluctuations in water level on phytoplankton development in three lakes of the Paraná river floodplain (Argentina)
Y. Zalocar de Domitrovic 175–193

Horizontal distribution of phytoplankton as related to the spatial heterogeneity of a lake – a case study from two lakes of the Wielkopolski National Park (western Poland)
M. Pełechaty, P.M. Owsianny 195–205

Larval feeding behaviour of blind fish *Astyanax fasciatus* (Characidae), black tetra *Gymnocorymbus ternetzi* (Characidae) and angel fish *Pterophyllum scalare* (Cichlidae) fed zooplankton
S.S.S. Sarma, J. Amador López-Rómulo, S. Nandini 207–216

Lake Chapo: a baseline study of a deep, oligotrophic North Patagonian lake prior to its use for hydroelectricity generation: I. Physical and chemical properties
S. Woelfl, L. Villalobos, O. Parra, W. Steffen, H. Campos 217–224

Lake Chapo: a baseline study of a deep, oligotrophic North Patagonian lake prior to its use for hydroelectricity generation: II. Biological properties
L. Villalobos, S. Woelfl, O. Parra, H. Campos 225–237

***Leydigia louisi louisi* Jenkin, 1934 in the Neotropics, *L. louisi mexicana* n.subsp. in the Central Mexican highlands**
A.A. Kotov, M. Elías-Gutiérrez, M.G. Nieto 239–255

Electronic journals at
KluwerOnline
WWW.KLUWERONLINE.NL
Contact your librarian for more information